



2.5M COMPOSITE SLATTED CLADDING EXTERNAL CORNER TRIM



Capped Composite External Corner Trims are designed to seamlessly continue your Cladco Slatted Wall Cladding around exterior corners, providing a professional and cohesive finish. Available in 2.5m lengths, these Trims match the Cladco Composite Slatted Panels for a consistent appearance, ensuring a durable, low-maintenance solution that enhances the longevity and aesthetics of your cladding installation.

COLOUR RANGE




PANEL SPECIFICATIONS


Length	2.5m
Width (inc. Lip)	49mm
Thickness	26mm
Finish	Smooth
Weight	3kg






TEST CERTIFICATIONS

FSC® Certification

SA-COC-005542





 <p>MATERIALS</p> <p>Capped Composite Wood-Plastic Blend – Made from 60% hardwood fibres and 40% recycled plastics for a durable and sustainable finish.</p>	 <p>SURFACES</p> <p>The Corner Trims feature a plain, smooth surface, providing a clean and modern aesthetic.</p>	 <p>ACCESSORIES</p> <p>Available accessories include Composite Slatted Wall Cladding Panels, Internal Corner Profile Trim, External Corner Trim, Start Profile Trim, and Double End Profile Trims for a complete and seamless</p>	 <p>LOW MAINTENANCE</p> <p>Corner Trims feature a low-maintenance, rot-resistant construction, making them durable and easy to work with for a seamless Cladding installation.</p>	 <p>INSTALLATION</p> <p>Installed alongside Slatted Cladding Panels using a tongue-and-groove fitting, External Corner Trims provide a seamless and professional finish, making them easy to work with when fitting around corners.</p>
--	---	---	--	---

GENERAL CLEANING

For everyday debris such as leaves, berries, plants, and animal droppings, simply clear the surface with a brush. Regular maintenance is recommended to keep your Cladding clean and in the best condition.

To clean, mix a light detergent with lukewarm water and use a soft cloth or brush to gently remove dirt and buildup from the Cladding Panels.

NATURAL WEATHERING

Cladco External Wall Cladding is designed with an encapsulated, non-porous outer layer, providing protection against weathering, water, and UV damage. Over time, some natural weathering may occur, depending on location and sunlight exposure. This process is normal and part of the material's natural character, ensuring long-term durability and performance. This is a normal process and part of the natural character of the material.

RECYCLED MATERIALS & SUSTAINABILITY

Cladco Capped Composite Corner Trims are manufactured using recycled materials, helping to reduce environmental impact. Each Trim is made from 60% recycled hardwood fibres and 40% post-consumer recycled plastics, offering low-maintenance and long-lasting benefits.



To enhance durability, additional bonding agents are used to create a strong composite core, which is then capped with a hard-wearing outer layer for superior protection.

All Cladco Composite products are available as FSC® certified at no additional cost. If you require FSC® certified products, please request this when placing your order.

EXTERNAL CORNER TRIM INSTALLATION ADVICE

The External Corner Trim is designed to fit seamlessly on building corners, providing a professional and polished edge to your Slatted Wall Cladding installation.


When installing a Slatted Cladding Panel next to an External Corner Trim, ensure a 5-7mm expansion gap between the Panel and the Trim Corner. This allows the Board to sit flush against the Trim without disrupting the profile, ensuring a clean and secure fit.




Adhering to these guidelines will ensure the proper installation and longevity of your Slatted Cladding Project. Failure to follow these guidelines may void the product warranty.

For full installation details, please refer to our External Slatted Cladding Installation Guide.


PRODUCT ACCESSORIES




2.5M EXTERNAL
SLATTED CLADDING




SINGLE
START TRIM



DOUBLE
END TRIM



INTERNAL
CORNER TRIM



CORNER TRIM